



1. provide dimmers for recessed lighting per owner selection.
2. All devices shall be decoara - white.
3. install proper wiring for the washer dryer and hot water heater.
4. install 100-amp sub panel in the laundry room for use in upstairs wiring.
5. provide 40 fault breakers @ panel for all bedroom circuits per FBC LATEST.
6. THE PRIMARY ELECTRICAL PANEL IS LOCATED IN THE STORAGE ROOM DOWNSTAIRS. PLAN TO RUN A MINIMUM 30-AMP 220V SERVICE TO THE FUTURE BOAT HOUSE.
7. ALL WIRING SHALL BE COPPER UNLESS NOTED OTHERWISE.
8. ALL WORK SHALL BE IN ACCORDANCE WITH n.e.c. (latest Edition) and applicable local codes.
9. contractor shall verify electrical service and location with the local power company.
10. provide receptacles within 6 ft. of door openings and not more than 12 ft. apart. kitchen duplex to code.
11. all lighting fixtures in closet shall be a minimum of 18" from shelving.
12. all receptacles shall be weather sealed and interconnected per FBC RESIDENTIAL BUILDINGS - LATEST EDITION.
13. OUTDOOR RECEPTACES SHALL BE gft and in weatherproof covers. exteriors receptacles upstairs will have 2 on the front porch and one outside each sliding door.
14. provide prewire for security monitoring per owner selections.
15. air conditioning will be a central unit with air handler, the attic, add switched light and duplex receptacle in the attic.
16. the range is gas but will require 110 electric for ignition. in addition, there is a vent that will require power under the island plus a circuit under/below the kitchen for the remote blower.
17. 2 duplex receptacles on the island, one on each side.
18. wire for the sink disposal with airswitch and dishwasher.
19. wire for tv's electric above closets in all guest bedrooms, one in master, one by the tub and one in the great room centered at 72" off finished floor.

[illegible]

RESIDENT FOR:
LEE & PATRICIA BROWN
TREASURE CAY, ABACO, BAHAMAS.
LOT: 18

FLOOR PLAN WITH ELECTRIC PLAN